

Revision date: 16-Mar-2018 Version: 5.0 Page 1 of 11

IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND THE COMPANY/UNDERTAKING

Product Identifier

Material Name: Fluconazole Powder for Oral Suspension

DIFLUCAN; TRIFLUCAN; FUNGUSTATIN **Trade Name:**

Chemical Family: Mixture

Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Intended Use: Pharmaceutical product used as antifungal agent

Details of the Supplier of the Safety Data Sheet

Pfizer Inc **Pfizer Pharmaceuticals Group** 235 East 42nd Street New York, New York 10017 1-800-879-3477

Emergency telephone number: CHEMTREC (24 hours): 1-800-424-9300

pfizer-MSDS@pfizer.com Contact E-Mail:

Pfizer Ltd

Ramsgate Road Sandwich. Kent **CT13 9NJ**

United Kingdom +00 44 (0)1304 616161

Emergency telephone number:

International CHEMTREC (24 hours): +1-703-527-3887

HAZARDS IDENTIFICATION

Classification of the Substance or Mixture

GHS - Classification

Reproductive Toxicity: Category 1B

Effects on or via lactation

US OSHA Specific - Classification

Physical Hazard: Combustible Dust

Label Elements

Signal Word: Danger

Hazard Statements: H360D - May damage the unborn child

H362 - May cause harm to breast-fed children May form combustible dust concentrations in air

P201 - Obtain special instructions before use **Precautionary Statements:**

P202 - Do not handle until all safety precautions have been read and understood

P281 - Use personal protective equipment as required P260 - Do not breathe dust/fume/gas/mist/vapors/spray P263 - Avoid contact during pregnancy/while nursing

P264 - Wash hands thoroughly after handling

P270 - Do not eat, drink or smoke when using this product

P308 + P313 - IF exposed or concerned: Get medical attention/advice

P405 - Store locked up

P501 - Dispose of contents/container in accordance with all local and national regulations

Material Name: Fluconazole Powder for Oral Suspension

Revision date: 16-Mar-2018 Version: 5.0



Other Hazards

An Occupational Exposure Value has been established for one or more of the ingredients (see

Page 2 of 11

Section 8).

Note:

This document has been prepared in accordance with standards for workplace safety, which require the inclusion of all known hazards of the product or its ingredients regardless of the potential risk. The precautionary statements and warnings included may not apply in all cases. Your needs may vary depending upon the potential for exposure in your workplace.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous

Ingredient	CAS Number	EU	GHS Classification	%
_		EINECS/ELINCS		
		List		
Citric acid, anhydrous	77-92-9	201-069-1	Not Listed	*
Fluconazole	86386-73-4	Not Listed	Acute Tox. 4(H302)	6.6
			Repr. 1B (H360D)	
			Lact. (H362)	
			Aquatic Acute 3 (H402)	
			Aquatic Chronic 3 (H412)	
Titanium dioxide	13463-67-7	236-675-5	Not Listed	*
Sucrose	57-50-1	200-334-9	Not Listed	*
Colloidal silicon dioxide	7631-86-9	231-545-4	Not Listed	*

Ingredient	CAS Number	EU EINECS/ELINCS List	GHS Classification	%
Natural orange flavor	NOT ASSIGNED	Not Listed	Not Listed	*
Sodium citrate, dihydrate	6132-04-3	Not Listed	Not Listed	*
Xanthan gum	11138-66-2	234-394-2	Not Listed	*
Sodium benzoate	532-32-1	208-534-8	Not Listed	*

Additional Information:

* Proprietary

Ingredient(s) indicated as hazardous have been assessed under standards for workplace

safety.

In accordance with 29 CFR 1910.1200, the exact percentage composition of this mixture has

been withheld as a trade secret.

For the full text of the CLP/GHS abbreviations mentioned in this Section, see Section 16

4. FIRST AID MEASURES

Description of First Aid Measures Eye Contact:

Flush with water while holding eyelids open for at least 15 minutes. Seek medical attention

immediately.

Material Name: Fluconazole Powder for Oral Suspension

Revision date: 16-Mar-2018 Version: 5.0

Skin Contact: Remove contaminated clothing. Flush area with large amounts of water. Use soap. Seek

medical attention.

Ingestion: Never give anything by mouth to an unconscious person. Wash out mouth with water. Do not

induce vomiting unless directed by medical personnel. Seek medical attention immediately.

Page 3 of 11

Inhalation: Remove to fresh air and keep patient at rest. Seek medical attention immediately.

Most Important Symptoms and Effects, Both Acute and Delayed

Symptoms and Effects of For information on potential signs and symptoms of exposure, See Section 2 - Hazards

Exposure: Identification and/or Section 11 - Toxicological Information.

Medical Conditions None know

Aggravated by Exposure:

Indication of the Immediate Medical Attention and Special Treatment Needed

Notes to Physician: None

5. FIRE FIGHTING MEASURES

Extinguishing Media: Use carbon dioxide, dry chemical, or water spray.

Special Hazards Arising from the Substance or Mixture

Hazardous Combustion Carbon monoxide, carbon

Products:

Carbon monoxide, carbon dioxide, nitrogen oxides and fluorine-containing compounds

Fine particles (such as dust and mists) may fuel fires/explosions.

Advice for Fire-Fighters

During all firefighting activities, wear appropriate protective equipment, including self-contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Personnel involved in clean-up should wear appropriate personal protective equipment (see Section 8). Minimize exposure.

Environmental Precautions

Place waste in an appropriately labeled, sealed container for disposal. Care should be taken to avoid environmental release.

Methods and Material for Containment and Cleaning Up

Measures for Cleaning / Collecting:

′

Contain the source of spill if it is safe to do so. Collect spilled material by a method that controls dust generation. A damp cloth or a filtered vacuum should be used to clean spills of

dry solids. Clean spill area thoroughly.

Additional Consideration for

Large Spills:

Non-essential personnel should be evacuated from affected area. Report emergency situations immediately. Cleanup operations should only be undertaken by trained personnel.

7. HANDLING AND STORAGE

Precautions for Safe Handling

Avoid breathing dust. Avoid contact with eyes, skin and clothing. When handling, use appropriate personal protective equipment (see Section 8). Releases to the environment should be avoided. Review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure or environmental releases. Potential points of process emissions of this material to the atmosphere should be controlled with dust collectors, HEPA filtration systems or other equivalent controls. Wash hands and any exposed skin after removal of PPE.

Conditions for Safe Storage, Including any Incompatibilities

Storage Conditions: Store as directed by product packaging.

Page 4 of 11

Material Name: Fluconazole Powder for Oral Suspension

Revision date: 16-Mar-2018 Version: 5.0

Specific end use(s): Pharmaceutical drug product

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control Parameters

Refer to available public information for specific member state Occupational Exposure Limits.

Fluconazole

Pfizer OEL TWA-8 Hr: 500µg/m³

Titanium dioxide

10 mg/m ³ 10 mg/m ³ 5 mg/m ³ 10 mg/m ³
5 mg/m³
•
10 mg/m³
10.0 mg/m ³
3 mg/m ³
5 mg/m³
10 mg/m³
10 mg/m³ 5 mg/m³
10 mg/m ³
10 mg/m ³
10 mg/m ³
5 mg/m³
15 mg/m³
10.0 mg/m ³
10 mg/m³
10 mg/m³
10 mg/m³
10 mg/m³
5 mg/m³
3 mg/m ³
6 mg/m ³
5 mg/m³

Sucrose

ACGIH Threshold Limit Value (TWA)	10 mg/m ³
Australia TWA	10 mg/m ³
Belgium OEL - TWA	10 mg/m ³
Bulgaria OEL - TWA	10.0 mg/m ³
Estonia OEL - TWA	10 mg/m ³
France OEL - TWA	10 mg/m ³
Ireland OEL - TWAs	10 mg/m ³
Latvia OEL - TWA	5 mg/m ³
Lithuania OEL - TWA	10 mg/m ³
OSHA - Final PELS - TWAs:	15 mg/m ³
Portugal OEL - TWA	10 mg/m ³
Slovakia OEL - TWA	6 mg/m ³
Spain OEL - TWA	10 mg/m ³

Colloidal silicon dioxide

Australia TWA2 mg/m³Austria OEL - MAKs4 mg/m³

Material Name: Fluconazole Powder for Oral Suspension Page 5 of 11
Revision date: 16-Mar-2018 Version: 5.0

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Czech Republic OEL - TWA 0.1 mg/m³ 4.0 mg/m³ Estonia OEL - TWA 2 mg/m³ **Finland OEL - TWA** 5 mg/m³ Germany - TRGS 900 - TWAs 4 mg/m³ 4 ma/m³ Germany (DFG) - MAK Ireland OEL - TWAs 6 mg/m^3 2.4 mg/m³ Latvia OEL - TWA 1 mg/m^3 OSHA - Final PELs - Table Z-3 Mineral D: 20 mppcf Listed

Slovakia OEL - TWA 4.0 mg/m^3 Slovenia OEL - TWA 0.3 mg/m^3 Switzerland OEL -TWAs 4 mg/m^3

Exposure Controls

Engineering Controls: Engineering controls should be used as the primary means to control exposures. General

room ventilation is adequate unless the process generates dust, mist or fumes. Keep airborne

contamination levels below the exposure limits listed above in this section.

Personal Protective

Equipment:

Refer to applicable national standards and regulations in the selection and use of personal protective equipment (PPE). Contact your safety and health professional or safety equipment supplier for assistance in selecting the correct protective clothing/equipment based on an assessment of the workplace conditions, other chemicals used or present in the workplace and

specific operational processes.

Hands: Impervious gloves (e.g. Nitrile, etc.) are recommended if skin contact with drug product is

possible and for bulk processing operations. (Protective gloves must meet the standards in

accordance with EN374, ASTM F1001 or international equivalent.)

Eyes: Wear safety glasses or goggles if eye contact is possible. (Eye protection must meet the

standards in accordance with EN166, ANSI Z87.1 or international equivalent.)

Skin: Impervious protective clothing is recommended if skin contact with drug product is possible and

for bulk processing operations. (Protective clothing must meet the standards in accordance

with EN13982, ANSI 103 or international equivalent.)

Respiratory protection: Under normal conditions of use, if the applicable Occupational Exposure Limit (OEL) is

exceeded, wear an appropriate respirator with a protection factor sufficient to control exposures to below the OEL (e.g. particulate respirator with a half mask, P3 filter). (Respirators must meet the standards in accordance with EN140, EN143, ASTM F2704-10 or international

equivalent.)

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Powder Color: White

Odor: Oranges (natural flavoring added) Odor Threshold: No data available.

Molecular Formula: Mixture Molecular Weight: Mixture

Solvent Solubility:
Water Solubility:
PH:
No data available
No data available.
Partition Coefficient: (Method, pH, Endpoint, Value)

Natural orange flavor

No data available

Page 6 of 11

Material Name: Fluconazole Powder for Oral Suspension

Revision date: 16-Mar-2018 Version: 5.0

9. PHYSICAL AND CHEMICAL PROPERTIES

Fluconazole

Predicted Log P 5.0

Sucrose

No data available

Colloidal silicon dioxide

No data available

Titanium dioxide No data available

Xanthan gum No data available

Sodium citrate, dihydrate

No data available

Citric acid, anhydrous

No data available **Sodium benzoate**

No data available

Decomposition Temperature (°C): No data available.

Evaporation Rate (Gram/s):

Vapor Pressure (kPa):

Vapor Density (g/ml):

Relative Density:

No data available

Flammablity:

Autoignition Temperature (Solid) (°C):

Flammability (Solids):

Flash Point (Liquid) (°C):

Upper Explosive Limits (Liquid) (% by Vol.):

Lower Explosive Limits (Liquid) (% by Vol.):

Polymerization:

No data available
No data available
Will not occur

10. STABILITY AND REACTIVITY

Reactivity: No data available

Chemical Stability: Stable under normal conditions of use.

Possibility of Hazardous Reactions

Oxidizing Properties: No data available

Conditions to Avoid: Fine particles (such as dust and mists) may fuel fires/explosions. **Incompatible Materials:** As a precautionary measure, keep away from strong oxidizers

Hazardous Decomposition No data available

Products:

11. TOXICOLOGICAL INFORMATION

Information on Toxicological Effects

General Information: The information included in this section describes the potential hazards of the individual

ingredients.

Short Term: Active ingredient may be harmful if swallowed. May cause eye irritation (based on

components).

Long Term: Repeat-dose studies in animals have shown a potential to cause adverse effects on liver.

Material Name: Fluconazole Powder for Oral Suspension

Revision date: 16-Mar-2018 Version: 5.0

11. TOXICOLOGICAL INFORMATION

Known Clinical Effects:

Adverse effects most commonly reported in clinical use include skin rash, headache nausea, and abdominal pain. Rare cases of serious liver damage and allergic reactions have been reported. There have been reports of multiple congenital abnormalities in infants whose mothers were being treated for 3 or more months with high dose (400-800mg/day) fluconazole. Fluconazole is found in human breast milk at concentrations similar to plasma. Therefore, nursing mothers should limit exposure.

Page 7 of 11

Acute Toxicity: (Species, Route, End Point, Dose)

Fluconazole

Rat (F) Oral LD50 1575 mg/kg
Rat (M) Oral LD50 1325mg/kg
Mouse Oral LD50 1410mg/kg
Mouse (M) Oral LD50 1520mg/kg
Dog Intravenous LD50 > 100mg/kg

Sucrose

Rat Oral LD50 29.7 g/kg

Titanium dioxide

Rat Oral LD50 > 7500 mg/kg Rat Subcutaneous LD50 50 mg/kg

Xanthan gum

Rat Oral LD50 > 5000 mg/kg

Citric acid, anhydrous

Rat Oral LD50 3000 mg/kg

Sodium benzoate

Rat Oral LD50 4,070 mg/kg Mouse Oral LD50 1600mg/kg

Acute Toxicity Comments:

A greater than symbol (>) indicates that the toxicity endpoint being tested was not achievable at the highest dose used in the test.

Irritation / Sensitization: (Study Type, Species, Severity)

Citric acid, anhydrous

Eye Irritation Rabbit Severe Skin Irritation Rabbit Mild

Repeated Dose Toxicity: (Duration, Species, Route, Dose, End Point, Target Organ)

Fluconazole

3 Month(s) Oral5 mg/kg/day Rat NOAEL Liver 6 Month(s) Oral 7.5 mg/kg/day NOAEL Dog Liver 12 Month(s) Oral 10 mg/kg/day LOAEL Rat Liver 12 Month(s) Oral 2.5 mg/kg/day NOAEL Dog Liver

Sodium benzoate

298

Page 8 of 11

Material Name: Fluconazole Powder for Oral Suspension

Revision date: 16-Mar-2018 Version: 5.0

11. TOXICOLOGICAL INFORMATION

10 Day(s) 27370 mg/kg LOAEL Liver, Blood Rat Oral

10 Day(s) Mouse Oral 45 g/kg LOAEL Liver, Kidney, Blood, Ureter, Bladder

Reproduction & Developmental Toxicity: (Study Type, Species, Route, Dose, End Point, Effect(s))

Fluconazole

Reproductive & Fertility Rat Oral20 mg/kg/day NOAEL Negative

Embryo / Fetal Development Rabbit Oral 20 mg/kg/day NOAEL Maternal Toxicity, Not Teratogenic

Fetotoxicity, Maternal Toxicity Embryo / Fetal Development Rat Oral 5 mg/kg/day NOAEL

Embryo / Fetal Development Oral 80 mg/kg/day Rat LOAEL Maternal Toxicity, Developmental toxicity

Sodium benzoate

Embryo / Fetal Development LOEL Developmental toxicity Rat Oral 44 g/kg

Genetic Toxicity: (Study Type, Cell Type/Organism, Result)

Fluconazole

In Vitro Bacterial Mutagenicity (Ames) Salmonella, E. coli Negative

In Vivo Cytogenetics Mouse Bone Marrow Negative In Vitro Cytogenetics **Human Lymphocytes** Negative

Sucrose

Bacterial Mutagenicity (Ames) Salmonella Negative

Carcinogenicity: (Duration, Species, Route, Dose, End Point, Effect(s))

Fluconazole

24 Month(s) Rat Female Oral 10 mg/kg/day NOAEL Not carcinogenic Rat Female Oral 5 mg/kg/day LOEL Benign tumors, Liver 24 Month(s)

Oral 10 mg/kg/day NOEL Not carcinogenic 24 Month(s) Mouse

Carcinogen Status: See below

Colloidal silicon dioxide

IARC: Group 3 (Not Classifiable)

NTP: Reasonably Anticipated To Be A Human Carcinogen

Titanium dioxide

Group 2B (Possibly Carcinogenic to Humans) IARC:

12. ECOLOGICAL INFORMATION

Environmental Overview: The environmental characteristics of this mixture have not been fully evaluated. Harmful

effects to aquatic organisms could occur. See Aquatic toxicity data of the active ingredient,

below:

Toxicity:

Aquatic Toxicity: (Species, Method, End Point, Duration, Result)

Material Name: Fluconazole Powder for Oral Suspension

Revision date: 16-Mar-2018 Version: 5.0

Fluconazole

Daphnia magna (Water Flea) LC50 48 Hours 35 mg/L
Pimephales promelas (Fathead Minnow) LC50 > 50 mg/L
Cyprinodon variegatus (Sheepshead Minnow) LC50 > 50 mg/L

Aquatic Toxicity Comments: A greater than (>) symbol indicates that acute ecotoxicity was not observed at the maximum

solubility. Since the substance is insoluble in aqueous solutions above this concentration, an

Page 9 of 11

acute ecotoxicity value (i.e. LC/EC50) is not achievable.

Persistence and Degradability: No data available

Bio-accumulative Potential:

Partition Coefficient: (Method, pH, Endpoint, Value)

Fluconazole

Predicted Log P 5.0

Mobility in Soil: No data available

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods: Dispose of waste in accordance with all applicable laws and regulations. Member State

specific and Community specific provisions must be considered. Considering the relevant known environmental and human health hazards of the material, review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure and environmental release. It is recommended that waste minimization be practiced. The best available technology should be utilized to prevent environmental

releases. This may include destructive techniques for waste and wastewater.

14. TRANSPORT INFORMATION

The following refers to all modes of transportation unless specified below.

Not regulated for transport under USDOT, EUADR, IATA, or IMDG regulations.

15. REGULATORY INFORMATION

Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture

Citric acid, anhydrous

CERCLA/SARA 313 Emission reporting

California Proposition 65

Not Listed
Inventory - United States TSCA - Sect. 8(b)

Present

Material Name: Fluconazole Powder for Oral Suspension

Page 10 of 11 Version: 5.0 Revision date: 16-Mar-2018

15. REGULATORY INFORMATION			
Australia (AICS):	Present		
EU EINECS/ELINCS List	201-069-1		
Flucementals			
Fluconazole	Not Listed		
CERCLA/SARA 313 Emission reporting	Not Listed Not Listed		
California Proposition 65	Schedule 3		
Standard for the Uniform Scheduling for Drugs and Poisons:	Schedule 4		
EU EINECS/ELINCS List	Not Listed		
LO LINEOS/LLINOS LIST	Not Listed		
Natural orange flavor			
CERCLA/SARA 313 Emission reporting	Not Listed		
California Proposition 65	Not Listed		
EU EINECS/ELINCS List	Not Listed		
Cadium situata dibudusta			
Sodium citrate, dihydrate CERCLA/SARA 313 Emission reporting	Not Listed		
California Proposition 65	Not Listed		
Australia (AICS):	Present		
EU EINECS/ELINCS List	Not Listed		
EO EINEOS/EEINOS EISt	Not Listed		
Titanium dioxide			
CERCLA/SARA 313 Emission reporting	Not Listed		
California Proposition 65	carcinogen 9/2/2011 airborne, unbound particles of respirable size		
Inventory - United States TSCA - Sect. 8(b)	Present		
Australia (AICS):	Present		
EU EINECS/ELINCS List	236-675-5		
Xanthan gum			
CERCLA/SARA 313 Emission reporting	Not Listed		
California Proposition 65	Not Listed		
Inventory - United States TSCA - Sect. 8(b)	Present		
Australia (AICS):	Present		
EU EINECS/ELINCS List	234-394-2		
Sodium benzoate			
CERCLA/SARA 313 Emission reporting	Not Listed		
California Proposition 65	Not Listed		
Inventory - United States TSCA - Sect. 8(b)	Present		
Australia (AICS):	Present		
EU EINECS/ELINCS List	208-534-8		
Sucrose			
CERCLA/SARA 313 Emission reporting	Not Listed		
California Proposition 65	Not Listed		
Inventory - United States TSCA - Sect. 8(b)	Present		
Australia (AICS):	Present		
REACH - Annex IV - Exemptions from the	Present		
obligations of Register:			
EU EINECS/ELINCS List	200-334-9		

Colloidal silicon dioxide

Material Name: Fluconazole Powder for Oral Suspension Page 11 of 11
Revision date: 16-Mar-2018 Version: 5.0

15. REGULATORY INFORMATION

CERCLA/SARA 313 Emission reporting

California Proposition 65

Inventory - United States TSCA - Sect. 8(b)

Australia (AICS):

Present

EU EINECS/ELINCS List

Not Listed

Not Eisted

Not

16. OTHER INFORMATION

Text of CLP/GHS Classification abbreviations mentioned in Section 3

Acute toxicity, oral-Cat.4; H302 - Harmful if swallowed

Reproductive toxicity-Cat.1B; H360D - May damage the unborn child

Reproductive toxicity, effects on or via lactation; H362 - May cause harm to breast-fed children

Hazardous to the aquatic environment, acute toxicity-Cat.3; H402 - Harmful to aquatic life

Hazardous to the aquatic environment, chronic toxicity-Cat.3; H412 - Harmful to aquatic life with long lasting effects

Data Sources: Pfizer proprietary drug development information.

Reasons for Revision: Updated Section 2 - Hazard Identification. Updated Section 8 - Exposure Controls / Personal

Protection.

Revision date: 16-Mar-2018

Product Stewardship Hazard Communication

Prepared by: Pfizer Global Environment, Health, and Safety Operations

Pfizer Inc believes that the information contained in this Material Safety Data Sheet is accurate, and while it is provided in good faith, it is without warranty of any kind, expressed or implied. If data for a hazard are not included in this document there is no known information at this time.

End of Safety Data Sheet
